

search

Q

Range

☐ 258km

☐ 271km

☐ 311km

☐ 650km

☐ 670km

Number of seats

☐ 4 seats

☐ 5 seats

- Basic Infor...
- body
- engine
- electric mot...
- Battery/Cha...
- gearbox
- Chassis/Ste...
- Wheels/Bra...
- Active safety
- Passive safety
- Auxiliary/co...
- External Co...
- Internal Co...
- Comfort/an...
- Seat config...
- Smart Conn...
- Audio and ...
- Lighting co...
- Glass/rearvi...
- Air conditio...
- Intelligent c...
- Optional Pa...

<div><div>1 model in total</div><div><input type="checkbox"/> Hide identical parameters</div><div><input type="checkbox"/> Highlight different parameters</div></div>	<div>☆ Nail on the left</div> <div><div>Zunjie S800 2025</div><div>Extended Range Xingy...</div><div>< +Comparison ></div></div>
	<div>Ask for the lowest price</div> <div>1.018 milli...</div>
Basic Information	
<u>Official guide price</u>	1.018 million
<u>Manufacturer</u>	JAC Motors
<u>level</u>	Large vehicles
<u>Energy type</u>	Extended range
<u>Time to market</u>	2025.05
<u>electric motor</u>	Extended range 864 horsepower
<u>Pure electric range (km). Ministry of Industry and Information Technology.</u>	258
<u>Pure electric range (km). WLTC</u>	258
<u>Pure electric range (km). CLTC</u>	340
Comprehensive cruising range (km) Ministry of Industry and Information Technology	965

<u>Comprehensive cruising range (km) CLTC</u>	1155
<u>High-voltage fast charging platform</u>	• 800V
<u>Charging time (hours)</u>	Fast charge 0.18 hours slow charge 7 hours
<u>Fast charging capacity (%)</u>	10-80
<u>Maximum power (kW)</u>	635 (864Ps)
<u>Maximum torque (N·m)</u>	718
<u>gearbox</u>	Electric vehicle single-speed transmission
<u>Length x width x height (mm)</u>	5480x2000x1542
<u>Body structure</u>	4-door, 4-seater sedan
Maximum speed (km/h)	200
<u>Official 0-100km/h acceleration time (s)</u>	4.7
<u>WLTC comprehensive fuel consumption (L/100km)</u>	0.27
<u>Power consumption per 100 kilometers (kWh/100km)</u>	25.8
<u>Electric energy equivalent fuel consumption (L/100km)</u>	3
<u>Minimum state of charge fuel consumption (L/100km) Ministry of Industry and Information Technology</u>	7.5
<u>Vehicle warranty period</u>	4 years or 100,000 km

<u>Length (mm).</u>	3700
<u>Width (mm).</u>	2000
<u>Height (mm).</u>	1542
<u>Wheelbase (mm).</u>	3370
<u>Front wheelbase (mm).</u>	1719
<u>Rear track (mm).</u>	1727
<u>Minimum ground clearance (mm).</u>	-
<u>Body structure</u>	sedan
<u>Number of doors</u>	4
<u>Door opening method</u>	swing door
<u>Number of seats</u>	4
<u>Curb mass (kg).</u>	2851
<u>Full load mass (kg).</u>	3270
<u>Fuel tank capacity (L).</u>	50.0
<u>Front luggage compartment volume (L).</u>	-
<u>Luggage compartment volume (L).</u>	445
<u>Minimum turning radius</u>	5.05m
engine	
<u>Engine model</u>	M8000PHD
<u>Displacement (mL).</u>	1499
Displacement (L)	1.5
<u>Intake form</u>	turbocharged
<u>Engine layout</u>	horizontal
<u>Cylinder arrangement</u>	L

<u>cylinder</u>	4
<u>Compression ratio</u>	-
<u>valve train</u>	DOHC
<u>Maximum horsepower (Ps).</u>	170
<u>Maximum power (kW).</u>	125
<u>Maximum net power (kW).</u>	120
<u>Maximum power speed (rpm).</u>	-
<u>Maximum torque (N·m).</u>	-
<u>Maximum torque speed (rpm).</u>	-
<u>Engine-specific technologies</u>	-
<u>Fuel form</u>	Extended range
<u>Fuel grade</u>	95#
<u>Oil supply method</u>	Direct injection
<u>Cylinder head material</u>	aluminum alloy
<u>Cylinder material</u>	aluminum alloy
<u>Environmental standards</u>	National VI b
electric motor	
<u>Motor Description</u>	Extended range 864 horsepower
<u>Motor type</u>	Front induction/asynchronous rear permanent magnet/synchronous
<u>Total motor power (kW).</u>	635

<u>Total torque of the motor (N·m).</u>	718
<u>Maximum power of front motor (kW).</u>	160
<u>Maximum torque of front motor (N·m).</u>	208
<u>Maximum power of rear motor (kW).</u>	475
<u>Maximum torque of rear motor (N·m).</u>	510
<u>Number of drive motors</u>	Three motors
<u>Motor layout</u>	Front + rear
Battery/Charging	
<u>Battery Type</u>	Ternary lithium battery
<u>Battery cell brand</u>	CATL
<u>Battery Pack Warranty.</u>	-
<u>Battery capacity (kWh).</u>	65
<u>Battery energy density (Wh/kg).</u>	-
<u>Battery charging rate</u>	-
	• 6C
<u>Battery Charging</u>	Fast charge 0.18 hours slow charge 7 hours
	• Fast charging port
<u>Fast charging port location</u>	Left fuel tank
<u>Slow charging port location</u>	Left fuel tank

	• Liquid cooling
<u>Single pedal mode</u>	-
<u>VTOL mobile power station function</u>	• Standard
<u>VTOL maximum external discharge power</u>	6kW
<u>VTOV maximum external discharge power</u>	6kW
gearbox	
<u>Transmission Description</u>	Electric vehicle single-speed transmission
<u>Number of gears</u>	1
<u>Transmission type</u>	Fixed gear ratio gearbox
Chassis/Steering	
<u>Drive mode</u>	Three motors and four-wheel drive
<u>Four-wheel drive type</u>	Electric four-wheel drive
<u>Front suspension type</u>	Double wishbone independent suspension
<u>Rear suspension type</u>	Multi-link independent suspension
<u>Steering type</u>	Electric power steering
<u>Body structure</u>	load-bearing
Wheels/Brakes	
<u>Front brake type</u>	Ventilated disc type
<u>Rear brake type</u>	Ventilated disc type
<u>Parking brake type</u>	Electronic parking brake

Rear tire specifications and dimensions	265/40 R21
Spare tire specifications	-
Active safety • Standard ◦ Optional - none	
ABS anti-lock braking system	• Standard
Braking force distribution (EBD/CBC, etc.)	• Standard
Brake assist (EBA/BA, etc.)	• Standard
Traction control (TCS/ASR, etc.)	• Standard
Vehicle stability system (ESP/DSC, etc.)	• Standard
Active safety warning system	• Lane Departure Warning
	• Forward Collision Warning
	• Rear Collision Warning
	• Reversing side warning
	• DOW door opening warning
	• Traffic ahead warning
	• Braking for crossing traffic ahead
Active braking	• Standard
Lane change assistance	• Standard
Lane Keeping Assist System	• Standard
Lane centering	• Standard

<u>detection</u>	• Standard
<u>In-vehicle vital signs detection</u>	• Standard
<u>Road traffic sign recognition</u>	• Standard
<u>Traffic light recognition</u>	• Standard
<u>Night vision system</u>	-
Passive safety • Standard ◦ Optional - none	
<u>Front airbags</u>	• Main driver's seat
	• co-pilot seat
<u>side airbags</u>	• front row
	• back row
<u>Side curtain airbags</u>	• Standard
<u>Front knee airbags</u>	-
<u>center airbag</u>	• front row
<u>Rear seat anti-slip airbags</u>	• Standard
<u>Seat belt not fastened reminder</u>	• Standard
<u>Tire pressure monitoring system</u>	• Tire pressure display
<u>Child seat interface (ISOFIX)</u>	• Standard
<u>Passive pedestrian protection</u>	-
<u>Safety tires</u>	-
Auxiliary/control configuration • Standard ◦ Optional - none	
<u>parking radar</u>	• forward

reminder	<ul style="list-style-type: none">• Standard
Narrow Road Assist	<ul style="list-style-type: none">• Standard
Driving assistance images	<ul style="list-style-type: none">• Reversing image
	<ul style="list-style-type: none">• 360° panoramic images
	<ul style="list-style-type: none">• Transparent images
Cruise control system	<ul style="list-style-type: none">• Cruise control
	<ul style="list-style-type: none">• Adaptive cruise control
	<ul style="list-style-type: none">• Full-speed adaptive cruise control
Automatic Lane Change Assist	<ul style="list-style-type: none">• Standard
Automatic exit/entry of ramp	<ul style="list-style-type: none">• Standard
Navigation-assisted driving	<ul style="list-style-type: none">• Expressway section
	<ul style="list-style-type: none">• Urban roads
Assisted driving level	<ul style="list-style-type: none">• Level 2
Automatic parking	<ul style="list-style-type: none">• Standard
Track reverse	<ul style="list-style-type: none">• Standard
Memory Parking	<ul style="list-style-type: none">• Standard
Automatic valet parking	<ul style="list-style-type: none">• Standard
Automatic parking (AUTOHOLD)	<ul style="list-style-type: none">• Standard
Hill Start Assist (HAC)	<ul style="list-style-type: none">• Standard
Hill Descent Control (HDC)	<ul style="list-style-type: none">• Standard
Engine start-stop technology	<ul style="list-style-type: none">-

air suspension	• Standard
Air suspension type	• Double chamber
Electromagnetic induction suspension	-
Magic Carpet Intelligent Suspension	• Standard
Variable steering ratio system	-
Front axle limited slip mode	-
Rear axle limited slip mode	-
Center differential lock function	-
Integral Active Steering	• Standard
Driving mode selection	• sports
	• Personalization
	• ECO/Economy
	• Standard comfort
Braking Energy Regeneration System	• Standard
Comfort braking	• Standard
Low speed driving warning sound	• Standard
External Configuration • Standard ◦ Optional - none	
Skylight Type	Segmented non- • openable panoramic sunroof
Panoramic sunshade	• Standard

Sports appearance package	-
Electric spoiler	-
Active closed grille	-
aluminum alloy wheels	• Standard
Frameless design doors	-
Hidden door handles	-
Tow hook	-
Internal Configuration • Standard ◦ Optional - none	
Steering wheel material	• Genuine Leather
Steering wheel adjustment	• Up and down + front and back
Electric steering wheel adjustment	• Standard
Steering wheel functions	• Multi-function control
	• memory
	• heating
Gear shifting	• Electronic hand gear shift
Trip computer screen	• color
LCD instrument style	• Full LCD
LCD instrument size (inches)	• 12.3
Comfort/anti-theft configuration • Standard ◦ Optional - none	
Electric suction door	• Standard
Electric swing/up doors	• Standard

Electric tailgate position memory.	-
Engine electronic immobilizer	• Standard
Central locking system in the car	• Standard
Remote control key type	• Smart remote control key
	• Wearable Key
	• Mobile Bluetooth Key
	• NFC/RFID keys
	• UWB digital key
Keyless entry.	• whole vehicle
Keyless start	• Standard
Remote Start	• Standard
Remote control mobile vehicle	• Standard
Vehicle summoning function	• Standard
Head-up display (HUD).	• Standard
HUD projection size (inches).	• 76
Augmented reality head-up display system (AR-HUD).	• Standard
Built-in driving recorder	• Standard
Original ETC	▫ Optional
Active Noise Cancellation	• Standard

Maximum power of mobile phone wireless charging (W).	50
110V/220V/230V power socket	-
Luggage compartment 12V power socket	<ul style="list-style-type: none">• Standard
Seat configuration • Standard ◦ Optional - none	
Seat material	<ul style="list-style-type: none">• Genuine Leather
Sports style seats	-
Second row independent seats	<ul style="list-style-type: none">• Standard
Zero Gravity Chair	<ul style="list-style-type: none">• Standard
Electric seat adjustment	<ul style="list-style-type: none">• Main driver's seat
	<ul style="list-style-type: none">• co-pilot seat
	<ul style="list-style-type: none">• Second row
Folding rear seats	-
Overall adjustment of the driver's seat	<ul style="list-style-type: none">• Move forward and backward
	<ul style="list-style-type: none">• Backrest angle
	<ul style="list-style-type: none">• Height adjustment
Local adjustment of the driver's seat	<ul style="list-style-type: none">• headrest
	<ul style="list-style-type: none">• waist
	<ul style="list-style-type: none">• Leg support
Passenger seat overall adjustment	<ul style="list-style-type: none">• Move forward and backward
	<ul style="list-style-type: none">• Height adjustment
	<ul style="list-style-type: none">• Backrest angle

<u>Second row seat overall adjustment</u>	<ul style="list-style-type: none">• Leg support• Move forward and backward• Height adjustment• Backrest angle adjustment
<u>Second row seat partial adjustment</u>	<ul style="list-style-type: none">• Leg support• waist
<u>Front seat functions</u>	<ul style="list-style-type: none">• heating• ventilation• memory• massage
<u>Second row seat functions</u>	<ul style="list-style-type: none">• heating• ventilation• massage
<u>Boss Key</u>	<ul style="list-style-type: none">• Standard
<u>Front/rear armrests</u>	<ul style="list-style-type: none">• front row• back row
<u>Rear cup holder</u>	<ul style="list-style-type: none">• Standard
<u>Heated/cooled cup holders</u>	<ul style="list-style-type: none">• Standard
<u>Rear seat folding ratio</u>	-
<u>Second row small table</u>	<ul style="list-style-type: none">• Standard
Smart Connectivity • Standard ◦ Optional - none	
<u>Central control screen size (inches)</u>	<ul style="list-style-type: none">• 15.6

Co-pilot screen size (inches)	• 16
Satellite navigation system	• Standard
AR real-scene navigation	-
Navigation traffic information display	• Standard
Map Brand	• Gaode
Roadside assistance service	• Standard
Bluetooth/car phone	• Standard
Mobile Internet Mapping	• Original factory machine
Internet of Vehicles	• Standard
4G/5G network	• 4G
OTA upgrade	• Standard
Facial Recognition	• Standard
Fingerprint recognition	-
Voiceprint recognition	• Standard
Emotion Recognition	-
Voice recognition control system	• Standard
Voice wake-up function	• Standard
Voice wake-up recognition function by region	• Main driver
	• co-pilot
	• Second row
Continuous speech recognition	• Standard

word	Xiaoyi Xiaoyi
Gesture control function	• Standard
Wi-Fi hotspots	• Standard
Audio and Video Entertainment • Standard ◦ Optional – none	
Multi-finger flying screen control	• Standard
App Store	• Standard
Multimedia Interface	• Memory card slot
	• USB/Type-C
Number of USB/Type-C ports	• 3 in the front row
	• 2 in the back row
USB/Type-C maximum charging power	Front row 66W
	Rear 66W
Car TV	–
Rear LCD screen	• Standard
Simulated sound waves	–
Audio brand	–
Number of speakers	–
	–
	• 43
Speaker layout	• 7.5.10
Maximum output power of amplifier (W).	• 2920
Seat speakers (headrest/shoulder)	• Standard
Sky Channel	• Standard

Lighting configuration		Standard	Optional	None
Low beam		• led		
High beam		• led		
Daytime running lights		• Standard		
Adaptive high and low beam		• Standard		
Automatic headlights		• Standard		
Turn assist lights		• Standard		
Front fog lights		-		
Adaptive Front Steering (AFS)		• Standard		
Headlight height adjustment		• Standard		
Headlight cleaning function		-		
Interior ambient lighting		• 16.8 million colors		
Active ambient lighting		• Standard		
Lighting features		• Pixel		
Light projection technology		• Standard		
Headlights delayed off		• Standard		
Headlight rain and fog mode		-		
Glass/rearview mirror		• Standard	◦ Optional	- none
Power windows		• front row		
		• back row		
One-touch window lift		• whole vehicle		

<u>Exterior rearview mirror function</u>	• Electric adjustment
	• heating
	• Electric folding
	• memory
	• Automatically tilt down when reversing
	• Automatic folding when the car is locked
	• Automatic anti-glare
<u>Interior rearview mirror function</u>	◦ Streaming 20,000 yuan
	• Automatic anti-glare
<u>Car makeup mirror</u>	• Streaming
	• Main driving seat + lighting
	• Passenger seat + lighting
<u>Rear privacy glass</u>	• Rear row + lighting
	• Standard
<u>Car sunshade</u>	• Rear window side sunshade
	• Rear windshield sunshade
<u>Rain-sensing wipers</u>	• Standard
<u>rear wiper</u>	-
<u>Multi-layer soundproof glass</u>	• Front row + back row
<u>Electric heating of the front windshield</u>	-

Air conditioning/refrigerator		Standard	Optional	Notes
Air conditioning control method		• automatic		
Rear independent air conditioning		• Standard		
Rear air outlet		• Standard		
Temperature zone control		• Four-zone air conditioning		
Car air purifier		• Standard		
In-car PM2.5 filter		• Standard		
Negative ion generator		• Standard		
Car fragrance device		• Standard		
AQS Air Quality Management System		• Standard		
Car refrigerator		• Standard		
Car refrigerator function		• heating		
		• refrigeration		
		• freezing		
Intelligent configuration				
Assisted driving operating system		• HUAWEI ADS		
In-vehicle intelligent system		• HarmonyOS		
Mobile App remote control		• Digital Key		
		• Vehicle Monitoring		
		• Remote Control		
		• Charging Management		
		• Service Appointment		

Heat pump management system	-
Maximum forward detection distance (m).	• 250
Number of external cameras	• 11
External camera pixels	-
Number of cameras in the car	• 2
In-car camera pixels	-
Number of ultrasonic radars	• 12
Number of millimeter-wave radars	• 9
Number of LiDARs	• 4
LiDAR brand	Huawei
Laser radar line number (line).	• 192
Number of LiDAR point clouds (10,000/second).	184
Sub-meter high-precision positioning system	• Standard
High-precision maps	-
Sentinel (Clairvoyance) Mode	• Standard
V2X communication	-
Optional Package • Standard ◦ Optional - none	
Customized options	Optional exterior, interior, wheels, brakes

Smart starry sky ceiling	Smart starry sky ceiling	
	▫ Optional	50,000 yuan

*The above parameter configuration information is for reference only, please refer to the actual vehicle for details [View parameter configuration details >](#)