



| <u>Charging time (hours)</u> | Fast charge 0.5 hours slow charge 6 hours | | |
|--|--|--|--|
| Fast charging capacity (%) | 20-80 | | |
| Maximum power (kW) | 365 (496Ps) | | |
| <u>Maximum torque (N·m)</u> | 675 | | |
| gearbox | Electric vehicle single- speed transmission | | |
| <u>Length x width x height</u> (mm) | 5230x1999x1800 | | |
| Body structure | 5-door, 6-seater SUV | | |
| Maximum speed (km/h) | 200 | | |
| Official 0-100km/h acceleration time (s) | 5.1 | | |
| WLTC comprehensive fuel consumption (L/100km) | 0.64 | | |
| Power consumption per 100 kilometers (kWh/100km) | 24.9 | | |
| Electric energy equivalent fuel consumption (L/100km) | - | | |
| Minimum state of charge fuel consumption (L/100km) Ministry of Industry and Information Technology | 7.3 | | |
| Vehicle warranty period | 4 years or 100,000 km | | |
| Estimated total maintenance cost for 60,000 km | - | | |

body

 \otimes • **Business Cooperation** Add to Desktop



| <u>Height(mm)</u> | 1800 |
|---|------------|
| Wheelbase (mm) | 3110 |
| Front wheelbase (mm) | 1707 |
| Rear track (mm) | 1713 |
| Minimum ground clearance (mm) | _ |
| Body structure | SUV |
| Number of doors | 5 |
| Door opening method | swing door |
| Number of seats | 6 |
| <u>Curb mass (kg)</u> | 2690 |
| Full load mass (kg) | 3165 |
| Fuel tank capacity (L) | 65.0 |
| <u>Luggage compartment</u> <u>volume (L)</u> | 316-1252 |
| Minimum turning radius | 5.8m |
| <u>Drag coefficient (Cd)</u> | 0.279 |
| | |

engine


| Engine model | HG15T |
|-----------------------------|--------------|
| <u>Displacement (mL)</u> | 1496 |
| Displacement (L) | 1.5 |
| Intake form | turbocharged |
| Engine layout | horizontal |
| <u>Cylinder arrangement</u> | L |
| Number of cylinders | 4 |

⊗
 Business Cooperation

• Add to Desktop

60





| Motor Description | Extended range 496 horsepower |
|---|---|
| <u>Motor type</u> | AC/asynchronous at the front and permanent magnet/synchronous at the back |
| Total motor power (kW) | 365 |
| <u>Total motor horsepower</u> (<u>Ps)</u> | 496 |

 \otimes **Business Cooperation**

0 Add to Desktop Fo




| Maximum power of front motor (kW) | 165 |
|-------------------------------------|-------------------------|
| Maximum torque of front motor (N·m) | 315 |
| Maximum power of rear motor (kW) | 200 |
| Maximum torque of rear motor (N·m) | 360 |
| Number of drive motors | Dual motors |
| Motor layout | Front + rear |
| Battery/Charging | |
| Battery Type | Ternary lithium battery |

| battery/ charging | | | |
|--|---|--|--|
| <u>Battery Type</u> | Ternary lithium battery | | |
| Battery cell brand | CATL | | |
| Battery Pack Warranty | 8 years or 160,000 kilometers | | |
| Battery capacity (kWh) | 52 | | |
| <u>Battery energy density</u> (Wh/kg) | - | | |
| Battery charging rate | - | | |
| <u>Battery Charging</u> | Fast charge 0.5 hours slow charge 6 hours | | |
| | Fast charging port | | |
| Fast charging port location | Left fuel tank | | |
| Slow charging port location | Left fuel tank | | |
| Battery temperature management system | Low temperature heating | | |
| | Liquid cooling | | |

 \odot **Business Cooperation**

• Add to Desktop Fo





gearbox

| <u>Transmission Description</u> | Electric vehicle single- speed transmission |
|---------------------------------|--|
| Number of gears | 1 |
| <u>Transmission type</u> | Fixed gear ratio gearbox |

Chassis/Steering

| <u>Drive mode</u> | Dual-motor four-wheel drive |
|-----------------------|--|
| Four-wheel drive type | Electric four-wheel drive |
| Front suspension type | Double wishbone independent suspension |
| Rear suspension type | Multi-link independent suspension |
| Steering type | Electric power steering |
| Body structure | load-bearing |

Wheels/Brakes

| <u>Front brake type</u> | Ventilated disc type |
|--|--------------------------|
| Rear brake type | Ventilated disc type |
| Parking brake type | Electronic parking brake |
| Front tire specifications and dimensions | 265/45 R21 |
| Rear tire specifications and dimensions | 285/45 R21 |

 \otimes **Business Cooperation**

• Add to Desktop Fo



Active safety • Standard Optional – none ABS anti-lock braking Standard <u>system</u> **Braking force distribution** Standard (EBD/CBC, etc.) Brake assist (EBA/BA, etc.) Standard Traction control (TCS/ASR, • Standard <u>etc.)</u> Vehicle stability system • Standard (ESP/DSC, etc.) Lane Departure Warning **Forward Collision** Warning Rear Collision Warning Active safety warning Reversing side warning <u>system</u> DOW door opening warning Traffic ahead warning Braking for crossing traffic ahead Active braking • Standard Lane change assistance Standard Lane Keeping Assist Standard <u>System</u> Standard Lane centering Fatigue driving tips Standard Active DMS fatigue Standard detection

⊗
 Business Cooperation

Add to Desktop

ု



 \otimes • **Business Cooperation** Add to Desktop

| Road traffic sign recognition | • Standard | | | |
|---|----------------------------|--|--|--|
| Traffic light recognition | • Standard | | | |
| Night vision system | - | | | |
| Passive safety • Standard | ∘ Optional – none | | | |
| Fromt sinbogs | Main driver's seat | | | |
| <u>Front airbags</u> | • co-pilot seat | | | |
| cido ciubo es | • front row | | | |
| <u>side airbags</u> | • back row | | | |
| Side curtain airbags | • Standard | | | |
| Front knee airbags | - | | | |
| center airbag | • front row | | | |
| Seat belt not fastened reminder | • Standard | | | |
| Tire pressure monitoring system | Tire pressure display | | | |
| <u>Child seat interface</u> (ISOFIX) | • Standard | | | |
| Passive pedestrian protection | - | | | |
| Safety tires | - | | | |
| Auxiliary/control configura | tion • Standard • Optional | | | |
| | • forward | | | |

| Auxiliary/control configuration | • | Standard | 。 (| Optional | - none |
|---------------------------------|---|----------|------------|----------|--------|
|---------------------------------|---|----------|------------|----------|--------|

| • forward | | |
|-----------------|--|--|
| • back | | |
| • Standard | | |
| Reversing image | | |
| | | |



| | . 5 |
|--|------------------------------------|
| | Cruise control |
| <u>Cruise control system</u> | Adaptive cruise control |
| | Full-speed adaptive cruise control |
| Automatic Lane Change Assist | • Standard |
| Automatic exit/entry of ramp | • Standard |
| Navigation-assisted | Expressway section |
| driving | · Urban roads |
| Assisted driving level | • Level 2 |
| Automatic parking | • Standard |
| <u>Track reverse</u> | • Standard |
| Memory Parking | • Standard |
| Automatic valet parking | - Optional |
| <u>Automatic parking</u> (<u>AUTOHOLD)</u> | • Standard |
| Hill Start Assist (HAC) | • Standard |
| <u>Hill Descent Control</u> (<u>HDC)</u> | • Standard |
| Engine start-stop technology | - |
| Variable suspension adjustment | Soft and hard + high and low |
| air suspension | • Standard |
| Air suspension type | Single cavity |
| Electromagnetic induction suspension | - |

 \otimes **Business Cooperation**

• Add to Desktop



Publish your work

| Variable steering ratio system | _ |
|---|--|
| Front axle limited slip mode | _ |
| Rear axle limited slip mode | _ |
| Center differential lock function | _ |
| <u>Low-speed four-wheel</u> <u>drive</u> | _ |
| Integral Active Steering | _ |
| | • sports |
| D | Personalization |
| <u>Driving mode selection</u> | • ECO/Economy |
| | Standard comfort |
| Braking Energy Regeneration System | • Standard |
| Comfort braking | Standard |
| Low speed driving warning sound | • Standard |
| External Configuration • | Standard • Optional - none |
| <u>Skylight Type</u> | Segmented non- openable panoramic sunroof |
| Panoramic sunshade | • Standard |
| Smart dimming skylight | _ |
| Roof rack | • Standard |
| | |

Sports appearance

<u>package</u>

| aluminum alloy wheels | • Standard |
|------------------------------------|---------------------------------|
| Side pedals | electric 10,000 yuan |
| <u>side pedais</u> | - |
| Frameless design doors | - |
| Hidden door handles | • Standard |
| Tow hook | • Optional 8,000 yuan |
| Internal Configuration • | Standard • Optional - non |
| Steering wheel material | Genuine Leather |
| Steering wheel | Up and down + front and back |
| <u>adjustment</u> | and back |
| Electric steering wheel adjustment | • Standard |
| | Multi-function control |
| Steering wheel functions | • memory |
| | • heating |
| Gear shifting | Electronic hand gear shift |
| <u>Trip computer screen</u> | • color |
| LCD instrument style | • Full LCD |
| LCD instrument size (inches) | • 12.3 |

| Comfort/anti-theft configuration | Standard | Optional | - none |
|----------------------------------|------------------------------|------------------------------|--------|
|----------------------------------|------------------------------|------------------------------|--------|

| Electric suction door | Standard |
|---------------------------|------------|
| Electric suction tailgate | • Standard |
| Electric swing/up doors | • Standard |
| <u>Electric tailgate</u> | Standard |



| memory | • Standard |
|---|--------------------------|
| Engine electronic immobilizer | • Standard |
| Central locking system in the car | • Standard |
| | Smart remote control key |
| | • UWB digital key |
| Remote control key type | Mobile Bluetooth Key |
| | NFC/RFID keys |
| | Wearable Key |
| <u>Keyless entry</u> | whole vehicle |
| Keyless start | • Standard |
| Remote Start | • Standard |
| Remote control mobile vehicle | • Standard |
| Vehicle summoning function | • Standard |
| <u>Head-up display (HUD)</u> | • Standard |
| <u>HUD projection size</u> (inches) | • 75 |
| Augmented reality head- up display system (AR- HUD) | • Standard |
| Built-in driving recorder | • Standard |
| Active Noise Cancellation | • Standard |
| Mobile phone wireless charging | • Standard |

⊗
 Business Cooperation

Add to Desktop

Fo



top Publish your work

| <u>cnarging (vv)</u> | |
|--|-------------------------------|
| 110V/220V/230V power socket | - |
| <u>Luggage compartment</u> 12V power socket | • Standard |
| Seat configuration • Stan | dard • Optional - none |
| Seat material | Genuine Leather |
| Seat leather style | Nappa leather |
| Sports style seats | - |
| <u>Seat layout</u> | - |
| <u>Scat layout</u> | • 2+2+2 |
| Second row independent seats | • Standard |
| Third row seats | • 2 seats |
| Zero Gravity Chair | • Standard |
| | Main driver's seat |
| | • co-pilot seat |
| Electric seat adjustment | Second row |
| | Third row electric adjustment |
| Folding rear seats | - |
| Overall adjustment of the | • Move forward and backward |
| driver's seat | Backrest angle |
| | Height adjustment |
| | • headrest |
| Local adjustment of the driver's seat | • waist |



| <u>Passenger seat overall</u> | • backward |
|--|---------------------------------|
| <u>adjustment</u> | Backrest angle |
| | • headrest |
| Passenger seat partial adjustment | • waist |
| adjustment | • Leg support |
| | Move forward and backward |
| Second row seat overall adjustment | Height adjustment |
| | • Backrest angle adjustment |
| Second row seat partial | • Leg support |
| adjustment | • waist |
| | • heating |
| Front seat functions | ventilation |
| Front Seat functions | • memory |
| | • massage |
| | • heating |
| Second row seat functions | ventilation |
| | • massage |
| Third row seat functions | heating |
| <u>Boss Key</u> | Standard |
| Front/rear armrests | • front row |
| TIOHWIEGI GIIIIIESUS | • back row |
| Rear cup holder | Standard |
| <u>Heated/cooled cup</u> <u>holders</u> | - |

⊗
 Business Cooperation

• Add to Desktop

6



| Electric folding rear seats | Standard |
|---|------------------------------|
| Second row small table | Optional |
| Smart Connectivity • Star | ndard • Optional - none |
| <u>Central control screen</u> <u>size (inches)</u> | • 15.6 |
| Central control screen material | • LCD |
| Center console color screen resolution | 2K |
| Co-pilot screen size (inches) | • 16 |
| Passenger car screen resolution (K) | • 3K |
| Satellite navigation system | • Standard |
| AR real-scene navigation | Standard |
| Navigation traffic information display | • Standard |
| Map Brand | • Gaode |
| Roadside assistance service | • Standard |
| Bluetooth/car phone | • Standard |
| Mobile Internet Mapping | • HUAWEI HiCar |
| Internet of Vehicles | • Standard |
| 4G/5G network | • 4G |
| OTA upgrade | Standard |
| <u>Facial Recognition</u> | Standard |
| Fingerprint recognition | - |

 \odot **Business Cooperation**

• Add to Desktop Fo



ор

Fo

Publish your work

| Voice recognition control system | • Standard |
|--|---------------|
| Voice wake-up function | • Standard |
| | Main driver |
| Voice wake-up • co-pilot recognition function by • Second row region • Third row | • co-pilot |
| | Second row |
| | • Third row |
| Continuous speech recognition | • Standard |
| <u>Seeing is telling</u> | • Standard |
| <u>Voice assistant wake-up</u> <u>word</u> | Xiaoyi Xiaoyi |
| Gesture control function | - |
| <u>Wi-Fi hotspots</u> | • Standard |

Audio and Video Entertainment • Standard • Optional - none

| Multi-finger flying screen control | • Standard |
|--|---------------------------|
| <u>App Store</u> | • Standard |
| Multimadia Intonfoca | Memory card slot |
| Multimedia Interface | • USB/Type-C |
| Number of USB/Type-C | • 3 in the front row |
| ports | • 4 seats in the back row |
| | Front row 100W |
| <u>USB/Type-C maximum</u> <u>charging power</u> | Rear 66VV |
| | - |
| <u>Car TV</u> | - |



top Publish your work

| Simulated sound waves | • Standard |
|--|----------------------------|
| araoke function | Standard |
| Audio brand | - |
| Number of speakers | • 25 |
| <u>Speaker layout</u> | • 7.1.4 |
| Maximum output power of amplifier (W) | • 2080 |
| eat speakers neadrest/shoulder) | • Standard |
| Sky Channel | Standard |
| Rear multimedia controls | - |
| ighting configuration • | Standard • Optional - none |
| ow beam | • led |
| <u>igh beam</u> | • led |
| aytime running lights | Standard |
| daptive high and low eam | • Standard |
| automatic headlights | Standard |
| urn assist lights | Standard |
| ront fog lights | - |
| <u>daptive Front Steering</u> AFS) | Standard |
| Headlight height Idjustment | Standard |
| leadlight cleaning unction | - |
| nterior ambient lighting | • 16.8 million colors |



| <u>Light projection</u> <u>technology</u> | • Standard |
|--|--|
| Headlights delayed off | Standard |
| Headlight rain and fog mode | - |
| Glass/rearview mirror • | Standard • Optional - none |
| Power windows | • front row |
| | • back row |
| One-touch window lift | whole vehicle |
| Window anti-pinch function | • Standard |
| | Electric adjustment |
| | • heating |
| Exterior rearview mirror function | Electric folding |
| | • memory |
| | Automatically tilt down when reversing |
| | Automatic folding when the car is locked |
| | Automatic anti-glare |
| Interior rearview mirror function | Automatic anti-glare |
| | Streaming |
| <u>Car makeup mirror</u> | Main driving seat + lighting |
| | Passenger seat + lighting |
| Rear privacy glass | Standard |
| | |

• Add to Desktop



Business Cooperation Add to Desktop

- none

Publish your work

Fo

| Rain-sensing wipers | • Standard |
|---|------------------------|
| <u>rear wiper</u> | • Standard |
| Rear window open | _ |
| Multi-layer soundproof glass | • Front row + back row |
| Electric heating of the front windshield | _ |
| Heated water nozzle | _ |
| Air conditioning/refrigerator • Standard • Optional | |
| Air conditioning control method | • automatic |

| 3- 3 | 1 |
|-----------------------------------|-----------------------------|
| Air conditioning control method | • automatic |
| Rear independent air conditioning | • Standard |
| Rear air outlet | Standard |
| Temperature zone control | Three-zone air conditioning |
| Car air purifier | • Standard |
| In-car PM2.5 filter | • Standard |
| Negative ion generator | • Standard |
| Car fragrance device | • Standard |
| AQS Air Quality Management System | • Standard |
| <u>Car refrigerator</u> | Standard |
| Car refrigerator function | • heating |
| | • refrigeration |

Intelligent configuration

Assisted driving operating system

• HUAWEI ADS



| Mobile App remote control | • Digital Key |
|--|-------------------------------|
| | Vehicle Monitoring |
| | Remote Control |
| | Charging Management |
| | Service Appointment |
| | Smart car search assistant |
| Heat pump management system | - |
| Maximum forward detection distance (m) | • 250 |
| Number of external cameras | • 11 |
| External camera pixels | - |
| Number of cameras in the car | • 2 |
| In-car camera pixels | - |
| Number of ultrasonic radars | • 12 |
| Number of millimeter- wave radars | • 9 |
| Number of LiDARs | • 4 |
| LiDAR brand | Huawei |
| <u>Laser radar line number</u> (<u>line)</u> | • 192 |
| Number of LiDAR point clouds (10,000/second) | 184 |
| Sub-meter high-precision positioning system | • Standard |

⊗
 Business Cooperation

• Add to Desktop

ಣ



| Mode | Standard | |
|---|---|--|
| V2X communication | - | |
| Optional Package • Standard • Optional - none | | |
| Customized options | Optional exterior, interior, wheels, brakes | |
| 52-degree battery pack | _ | |
| Featured Configuration | • Standard • Optional - none | |
| Intelligent laser projection system | - | |
| Zero Gravity Chair | - | |

^{*}The above parameter configuration information is for reference only, please refer to the actual vehicle for details View parameter configuration details >