search Range 230km 235km 280km 302km

Basic Infor...
body
engine
electric mot...
Battery/Cha...
gearbox
Chassis/Ste...
Wheels/Bra...
Active safety
Passive safety
Auxiliary/co...
External Co...
Internal Co...
Comfort/an...
Seat config...
Smart Conn...
Audio and ...
Lighting co...
Glass/rearvi...
Air conditio...
Intelligent c...
Optional Pa...

4 models in total Hide identical parameters Highlight different parameters	Nail on the left ZEEKR 9X 2025 Max version 55kWh +Comparison	Nail on the left ZEEKR 9X 2025 Ultra Edition 55kWh +Comparison	Nail on the left ZEEKR 9X 2025 Ultra Edition 70kWh +Comparison	Nail on the left ZEEKR 9X 2025 Hyper Edition 70kWh +Comparison
	465,900 Ask for the lowest price	485,900 Ask for the lowest price	500,900 Ask for the lowest price	559,900 Ask for the lowest price
Basic Information				
Official guide price	465,900	485,900	500,900	559,900
Manufacturer	Zeekr	Zeekr	Zeekr	Zeekr
level	Large SUV	Large SUV	Large SUV	Large SUV
Energy type	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid
Time to market	2025.09	2025.09	2025.09	2025.09
engine	2.0T 279 horsepower L4 plug-in hybrid	2.0T 279 horsepower L4 plug-in hybrid	2.0T 279 horsepower L4 plug-in hybrid	2.0T 279 horsepower L4 plug-in hybrid
Pure electric range (km) Ministry of Industry and Information Technology	235	230	302	280
Pure electric range (km) WLTC	235	230	302	280
Pure electric range (km) CLTC	300	288	380	355
Comprehensive cruising range (km) CLTC	1200	1160	1250	1165
High-voltage fast charging platform	• 900V	• 900V	• 900V	• 900V

Maximum engine power (kW)	205 (279Ps)	205 (279Ps)	205 (279Ps)	205 (279Ps)
Maximum motor power (kW)	660 (898Ps)	660 (898Ps)	660 (898Ps)	1030 (1401Ps)
Maximum engine torque (N·m)	-	-	-	-
Maximum torque of the motor (N·m)	935	935	935	1410
gearbox	1st gear DHT	1st gear DHT	1st gear DHT	1st gear DHT
Length x width x height (mm)	5239x2019x1819	5239x2029x1819	5239x2029x1819	5239x2029x1819
Body structure	5-door, 6-seater SUV	5-door, 6-seater SUV	5-door, 6-seater SUV	5-door, 6-seater SUV
Maximum speed (km/h)	240	240	240	240
Official 0-100km/h acceleration time (s)	3.9	3.9	4.2	3.1
WLTC comprehensive fuel consumption (L/100km)	0.54	0.59	0.39	0.44
Power consumption per 100 kilometers (kWh/100km)	22.9	23.6	23.9	25.3
Electric energy equivalent fuel consumption (L/100km)	2.66	2.74	2.77	2.94
Lowest state-of-charge fuel consumption (L/100km) WLTC	6.78	6.98	7.1	7.45
Vehicle warranty period	6 years or 150,000 kilometers	6 years or 150,000 kilometers	6 years or 150,000 kilometers	6 years or 150,000 kilometers
body				
Length (mm)	5239	5239	5239	5239

Wheelbase (mm)	3169	3169	3169	3169
Front wheelbase (mm)	1725	1725	1725	1734
Rear track (mm)	1739	1739	1739	1748
Minimum ground clearance (mm)	208	208	208	200
Body structure	SUV	SUV	SUV	SUV
Number of doors	5	5	5	5
Door opening method	swing door	swing door	swing door	swing door
Number of seats	6	6	6	6
Curb mass (kg)	2840	2970	3045	3150
Full load mass (kg)	3480	3545	3615	3660
Fuel tank capacity (L)	50.0	50.0	50.0	50.0
Luggage compartment volume (L)	470-2148	470-2148	470-2148	470-2148
Minimum turning radius	5.95m	5.95m	5.95m	5.95m
engine				
Engine model	DHE20-PFZ	DHE20-PFZ	DHE20-PFZ	DHE20-PFZ
Displacement (mL)	1974	1974	1974	1974
Displacement (L)	2.0	2.0	2.0	2.0
Intake form	turbocharged	turbocharged	turbocharged	turbocharged
Engine layout	horizontal	horizontal	horizontal	horizontal
Cylinder arrangement	L	L	L	L
Number of cylinders	4	4	4	4
Number of valves per cylinder	4	4	4	4
Compression ratio	-	-	-	-

(Ps)	279	279	279	279
Maximum power (kW)	205	205	205	205
Maximum net power (kW)	202	202	202	202
Maximum power speed (rpm)	-	-	-	-
Maximum torque (N·m)	-	-	-	-
Maximum torque speed (rpm)	-	-	-	-
Engine-specific technologies	-	-	-	-
Fuel form	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid
Fuel grade	95#	95#	95#	95#
Oil supply method	Direct injection	Direct injection	Direct injection	Direct injection
Cylinder head material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Cylinder material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Environmental standards	National VI b	National VI b	National VI b	National VI b
electric motor				
Motor Description	Plug-in hybrid 898 horsepower	Plug-in hybrid 898 horsepower	Plug-in hybrid 898 horsepower	Plug-in hybrid 1401 horsepower
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	660	660	660	1030
Total motor horsepower (Ps)	898	898	898	1401
Total torque of the motor (N·m)	935	935	935	1410
Maximum power of front motor (kW)	290	290	290	290

Number of drive motors	Dual motors	Dual motors	Dual motors	Three motors
Motor layout	Front + rear	Front + rear	Front + rear	Front + rear
Battery/Charging				
Battery Type	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery cell brand	Times Geely	Times Geely	Times Geely	Times Geely
Battery Pack Warranty	Lifetime warranty for the first owner (liability exemption clause is subject to official regulations)	Lifetime warranty for the first owner (liability exemption clause is subject to official regulations)	Lifetime warranty for the first owner (liability exemption clause is subject to official regulations)	Lifetime warranty for the first owner (liability exemption clause is subject to official regulations)
Battery capacity (kWh)	55	55	70	70
Battery energy density (Wh/kg)	-	-	-	-
Battery charging rate	• 6C	• 6C	• 6C	• 6C
Battery Charging	Fast charge 0.15 hours • Fast charging port	Fast charge 0.15 hours • Fast charging port	Fast charge 0.15 hours • Fast charging port	Fast charge 0.15 hours • Fast charging port
Fast charging port location	Left fuel tank	Left fuel tank	Left fuel tank	Left fuel tank
Slow charging port location	Left fuel tank	Left fuel tank	Left fuel tank	Left fuel tank
Battery temperature management system	• Low temperature heating • Liquid cooling	• Low temperature heating • Liquid cooling	• Low temperature heating • Liquid cooling	• Low temperature heating • Liquid cooling
Single pedal mode	• Standard	• Standard	• Standard	• Standard
VTOL mobile power station function	• Standard	• Standard	• Standard	• Standard
VTOL maximum external discharge power	6kW	6kW	6kW	6kW

gearbox				
Transmission Description	1st gear DHT	1st gear DHT	1st gear DHT	1st gear DHT
Number of gears	1	1	1	1
Transmission type	Dedicated hybrid transmission (DHT)	Dedicated hybrid transmission (DHT)	Dedicated hybrid transmission (DHT)	Dedicated hybrid transmission (DHT)
Chassis/Steering				
Drive mode	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive
Four-wheel drive type	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
Rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Steering type	Electric power steering	Electric power steering	Electric power steering	Electric power steering
Body structure	load-bearing	load-bearing	load-bearing	load-bearing
Wheels/Brakes				
Front brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type
Rear brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type
Parking brake type	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake
Front tire specifications and dimensions	255/60 R20	275/50 R21	275/50 R21	285/45 R22
Rear tire specifications and dimensions	255/60 R20	275/50 R21	275/50 R21	285/45 R22
Spare tire specifications	-	-	-	-
Spare tire placement	-	-	-	-

Active safety • Standard ◦ Optional - none

Braking force distribution (EBD/CBC, etc.)	• Standard	• Standard	• Standard	• Standard
Brake assist (EBA/BA, etc.)	• Standard	• Standard	• Standard	• Standard
Traction control (TCS/ASR, etc.)	• Standard	• Standard	• Standard	• Standard
Vehicle stability system (ESP/DSC, etc.)	• Standard	• Standard	• Standard	• Standard
Active safety warning system	• Lane Departure Warning	• Lane Departure Warning	• Lane Departure Warning	• Lane Departure Warning
	• Forward Collision Warning	• Forward Collision Warning	• Forward Collision Warning	• Forward Collision Warning
	• Rear Collision Warning	• Rear Collision Warning	• Rear Collision Warning	• Rear Collision Warning
	• Reversing side warning	• Reversing side warning	• Reversing side warning	• Reversing side warning
	• DOW door opening warning	• DOW door opening warning	• DOW door opening warning	• DOW door opening warning
	• Traffic ahead warning	• Traffic ahead warning	• Traffic ahead warning	• Traffic ahead warning
	• Braking for crossing traffic ahead	• Braking for crossing traffic ahead	• Braking for crossing traffic ahead	• Braking for crossing traffic ahead
Active braking	• Standard	• Standard	• Standard	• Standard
Lane change assistance	• Standard	• Standard	• Standard	• Standard
Lane Keeping Assist System	• Standard	• Standard	• Standard	• Standard
Lane centering	• Standard	• Standard	• Standard	• Standard
Fatigue driving tips	• Standard	• Standard	• Standard	• Standard
Active DMS fatigue detection	• Standard	• Standard	• Standard	• Standard
In-vehicle vital signs detection	• Standard	• Standard	• Standard	• Standard

Traffic light recognition	• Standard	• Standard	• Standard	• Standard
Night vision system	◦ Optional	◦ Optional	◦ Optional	• Standard
Passive safety • Standard ◦ Optional – none				
Front airbags	• Main driver's seat	• Main driver's seat	• Main driver's seat	• Main driver's seat
	• co-pilot seat	• co-pilot seat	• co-pilot seat	• co-pilot seat
side airbags	• front row	• front row	• front row	• front row
Side curtain airbags	• Standard	• Standard	• Standard	• Standard
Front knee airbags	–	–	–	–
center airbag	• front row	• front row	• front row	• front row
Seat belt not fastened reminder	• Standard	• Standard	• Standard	• Standard
Tire pressure monitoring system	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display
Child seat interface (ISOFIX)	• Standard	• Standard	• Standard	• Standard
Passive pedestrian protection	–	–	–	–
Safety tires	–	–	–	–
Auxiliary/control configuration • Standard ◦ Optional – none				
parking radar	• forward	• forward	• forward	• forward
	• back	• back	• back	• back
Front vehicle departure reminder	• Standard	• Standard	• Standard	• Standard
Narrow Road Assist	• Standard	• Standard	• Standard	• Standard
Driving assistance images	• Reversing image	• Reversing image	• Reversing image	• Reversing image
	• Vehicle side blind spot image	• Vehicle side blind spot image	• Vehicle side blind spot image	• Vehicle side blind spot image

	• Transparent images	• Transparent images	• Transparent images	• Transparent images
Cruise control system	• Cruise control	• Cruise control	• Cruise control	• Cruise control
	• Adaptive cruise control	• Adaptive cruise control	• Adaptive cruise control	• Adaptive cruise control
	• Full-speed adaptive cruise control	• Full-speed adaptive cruise control	• Full-speed adaptive cruise control	• Full-speed adaptive cruise control
Automatic Lane Change Assist	• Standard	• Standard	• Standard	• Standard
Automatic exit/entry of ramp	• Standard	• Standard	• Standard	• Standard
Navigation-assisted driving	• Urban roads	• Urban roads	• Urban roads	• Urban roads
	• Expressway section	• Expressway section	• Expressway section	• Expressway section
Assisted driving level	• Level 2	• Level 2	• Level 2	• Level 2
Automatic parking	• Standard	• Standard	• Standard	• Standard
Track reverse	-	-	-	-
Memory Parking	• Standard	• Standard	• Standard	• Standard
Automatic parking (AUTOHOLD)	• Standard	• Standard	• Standard	• Standard
Hill Start Assist (HAC)	• Standard	• Standard	• Standard	• Standard
Hill Descent Control (HDC)	• Standard	• Standard	• Standard	• Standard
Engine start-stop technology	-	-	-	-
Variable suspension adjustment	• Soft and hard + high and low	• Soft and hard + high and low	• Soft and hard + high and low	• Soft and hard + high and low
air suspension	• Standard	• Standard	• Standard	• Standard
Air suspension type	• Double chamber	• Double chamber	• Double chamber	• Double chamber
Electromagnetic induction suspension	-	-	-	-

Front axle limited slip mode	-	-	-	-
Rear axle limited slip mode	-	-	-	-
Center differential lock function	-	-	-	-
Low-speed four-wheel drive	-	-	-	-
Integral Active Steering	-	-	-	-
Tank U-turn	-	-	-	• Standard
Driving mode selection	• sports	• sports	• sports	• sports
	• Off-road	• Off-road	• Off-road	• Off-road
	• Snow	• Snow	• Snow	• Snow
	• Personalization	• Personalization	• Personalization	• Personalization
	• ECO/Economy	• ECO/Economy	• ECO/Economy	• ECO/Economy
	• Standard comfort	• Standard comfort	• Standard comfort	• Standard comfort
Braking Energy Regeneration System	• Standard	• Standard	• Standard	• Standard
Low speed driving warning sound	• Standard	• Standard	• Standard	• Standard
Water sensing system	• Standard	• Standard	• Standard	• Standard

External Configuration • Standard ◦ Optional - none

Skylight Type	• Segmented openable panoramic sunroof	• Segmented openable panoramic sunroof	• Segmented openable panoramic sunroof	• Segmented openable panoramic sunroof
Smart dimming skylight	-	-	-	-
Roof rack	-	-	-	-
Sports appearance package	-	-	-	-

aluminum alloy wheels	• Standard	• Standard	• Standard	• Standard
Side pedals	◦ electric 10,000 yuan	◦ electric 10,000 yuan	◦ electric 10,000 yuan	◦ electric 10,000 yuan
Frameless design doors	-	-	-	-
Hidden door handles	-	-	-	-
Tow hook	◦ Optional	◦ Optional	◦ Optional	◦ Optional
Internal Configuration • Standard ◦ Optional - none				
Steering wheel material	• Genuine Leather	• Genuine Leather	• Genuine Leather	• Genuine Leather
Steering wheel adjustment	• Up and down + front and back	• Up and down + front and back	• Up and down + front and back	• Up and down + front and back
Electric steering wheel adjustment	• Standard	• Standard	• Standard	• Standard
Steering wheel functions	• Multi-function control	• Multi-function control	• Multi-function control	• Multi-function control
	• memory	• memory	• memory	• memory
	• heating	• heating	• heating	• heating
Gear shifting	• Electronic hand gear shift	• Electronic hand gear shift	• Electronic hand gear shift	• Electronic hand gear shift
Trip computer screen	• color	• color	• color	• color
LCD instrument style	• Full LCD	• Full LCD	• Full LCD	• Full LCD
LCD instrument size (inches)	• 13	• 13	• 13	• 13
Comfort/anti-theft configuration • Standard ◦ Optional - none				
Electric suction door	• Standard	• Standard	• Standard	• Standard
Electric swing/up doors	-	• Standard	• Standard	• Standard
Electric tailgate	• Standard	• Standard	• Standard	• Standard
Sensor-activated tailgate	-	-	-	-

Engine electronic immobilizer	• Standard	• Standard	• Standard	• Standard
Central locking system in the car	• Standard	• Standard	• Standard	• Standard
Remote control key type	• Smart remote control key	• Smart remote control key	• Smart remote control key	• Smart remote control key
	• Mobile Bluetooth Key	• Mobile Bluetooth Key	• Mobile Bluetooth Key	• Mobile Bluetooth Key
	• UWB digital key	• UWB digital key	• UWB digital key	• UWB digital key
Keyless entry	• whole vehicle	• whole vehicle	• whole vehicle	• whole vehicle
Keyless start	• Standard	• Standard	• Standard	• Standard
Remote Start	• Standard	• Standard	• Standard	• Standard
Remote control mobile vehicle	• Standard	• Standard	• Standard	• Standard
Vehicle summoning function	◦ Optional	◦ Optional	◦ Optional	• Standard
Head-up display (HUD)	• Standard	• Standard	• Standard	• Standard
HUD projection size (inches)	• 47	• 47	• 47	• 47
Augmented reality head-up display system (AR-HUD)	• Standard	• Standard	• Standard	• Standard
Built-in driving recorder	• Standard	• Standard	• Standard	• Standard
Original ETC	• Standard	• Standard	• Standard	• Standard
Active Noise Cancellation	• Standard	• Standard	• Standard	• Standard
Mobile phone wireless charging	• Standard	• Standard	• Standard	• Standard
Maximum power of mobile phone wireless charging (W)	50	50	50	50

Luggage compartment 12V power socket	–	–	–	–
Seat configuration • Standard ◦ Optional – none				
Seat material	• Genuine Leather	• Genuine Leather	• Genuine Leather	• Genuine Leather
Seat leather style	• Nappa leather	• Nappa leather	• Nappa leather	• Nappa leather
Sports style seats	–	–	–	–
Seat layout	• 2+2+2	• 2+2+2	• 2+2+2	• 2+2+2
Second row independent seats	• Standard	• Standard	• Standard	• Standard
Third row seats	• 2 seats	• 2 seats	• 2 seats	• 2 seats
Zero Gravity Chair	• Standard	• Standard	• Standard	• Standard
Electric seat adjustment	• Main driver's seat	• Main driver's seat	• Main driver's seat	• Main driver's seat
	• co-pilot seat	• co-pilot seat	• co-pilot seat	• co-pilot seat
	• Second row	• Second row	• Second row	• Second row
	• Third row electric adjustment	• Third row electric adjustment	• Third row electric adjustment	• Third row electric adjustment
Folding sunken rear seats	–	–	–	–
Overall adjustment of the driver's seat	• Move forward and backward	• Move forward and backward	• Move forward and backward	• Move forward and backward
	• Backrest angle	• Backrest angle	• Backrest angle	• Backrest angle
	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment
Local adjustment of the driver's seat	• headrest	• headrest	• headrest	• headrest
	• waist	• waist	• waist	• waist
	• Leg support	• Leg support	• Leg support	• Leg support
Passenger seat overall adjustment	• Move forward and backward	• Move forward and backward	• Move forward and backward	• Move forward and backward
	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment

Passenger seat partial adjustment	• waist	• waist	• waist	• waist
	• Leg support	• Leg support	• Leg support	• Leg support
Second row seat overall adjustment	• Move forward and backward	• Move forward and backward	• Move forward and backward	• Move forward and backward
	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment
	• Backrest angle adjustment	• Backrest angle adjustment	• Backrest angle adjustment	• Backrest angle adjustment
	◦ Rotation adjustment 12,000 yuan	◦ Rotation adjustment 12,000 yuan	◦ Rotation adjustment 12,000 yuan	• Rotation adjustment
Second row seat partial adjustment	• Leg support	• Leg support	• Leg support	• Leg support
	• waist	• waist	• waist	• waist
Front seat functions	• heating	• heating	• heating	• heating
	• ventilation	• ventilation	• ventilation	• ventilation
	• memory	• memory	• memory	• memory
	• massage	• massage	• massage	• massage
Second row seat functions	• heating	• heating	• heating	• heating
	• memory	• memory	• memory	• memory
	• ventilation	• ventilation	• ventilation	• ventilation
	• massage	• massage	• massage	• massage
Third row seat functions	• heating	• heating	• heating	• heating
Boss Key	• Standard	• Standard	• Standard	• Standard
Front/rear armrests	• front row	• front row	• front row	• front row
	• back row	• back row	• back row	• back row
Rear cup holder	• Standard	• Standard	• Standard	• Standard
Heated/cooled cup holders	-	-	-	-

Second row small table	–	• Standard	• Standard	• Standard
Smart Connectivity • Standard ◦ Optional – none				
Central control screen size (inches)	• 16	• 16	• 16	• 16
Central control screen material	• OLED	• OLED	• OLED	• OLED
	◦ led	◦ led	◦ led	◦ led
Center console color screen resolution	3.5K	3.5K	3.5K	3.5K
Co-pilot screen size (inches)	• 16	• 16	• 16	• 16
Passenger car screen resolution (K)	• 3.5K	• 3.5K	• 3.5K	• 3.5K
Satellite navigation system	• Standard	• Standard	• Standard	• Standard
AR real-scene navigation	• Standard	• Standard	• Standard	• Standard
Navigation traffic information display	• Standard	• Standard	• Standard	• Standard
Map Brand	• Gaode	• Gaode	• Gaode	• Gaode
Roadside assistance service	• Standard	• Standard	• Standard	• Standard
Bluetooth/car phone	• Standard	• Standard	• Standard	• Standard
Mobile Internet Mapping	• HUAWEI HiCar	• HUAWEI HiCar	• HUAWEI HiCar	• HUAWEI HiCar
Internet of Vehicles	• Standard	• Standard	• Standard	• Standard
4G/5G network	• 5G	• 5G	• 5G	• 5G
OTA upgrade	• Standard	• Standard	• Standard	• Standard
Facial Recognition	• Standard	• Standard	• Standard	• Standard
Fingerprint recognition	–	–	–	–

Voice recognition control system	• Standard	• Standard	• Standard	• Standard
Voice wake-up function	• Standard	• Standard	• Standard	• Standard
Voice wake-up recognition function by region	• Main driver	• Main driver	• Main driver	• Main driver
	• co-pilot	• co-pilot	• co-pilot	• co-pilot
	• Second row	• Second row	• Second row	• Second row
	• Third row	• Third row	• Third row	• Third row
Continuous speech recognition	• Standard	• Standard	• Standard	• Standard
Seeing is telling	• Standard	• Standard	• Standard	• Standard
Voice assistant wake-up word	Hi,EVA	Hi,EVA	Hi,EVA	Hi,EVA
Gesture control function	-	-	-	-
Wi-Fi hotspots	• Standard	• Standard	• Standard	• Standard
Audio and Video Entertainment	• Standard ◦ Optional - none			
Multi-finger flying screen control	-	-	-	-
App Store	• Standard	• Standard	• Standard	• Standard
Multimedia Interface	• USB/Type-C	• USB/Type-C	• USB/Type-C	• USB/Type-C
Number of USB/Type-C ports	• 3 in the front row	• 3 in the front row	• 3 in the front row	• 3 in the front row
	• 4 seats in the back row	• 4 seats in the back row	• 4 seats in the back row	• 4 seats in the back row
USB/Type-C maximum charging power	60W front row	60W front row	60W front row	60W front row
	100W rear row	100W rear row	100W rear row	100W rear row
Car TV	-	-	-	-
Rear LCD screen	◦ Optional 15,000 yuan	◦ Optional 15,000 yuan	◦ Optional 15,000 yuan	◦ Optional 15,000 yuan
Rear screen size (inches)	◦ 17	◦ 17	◦ 17	◦ 17

Audio brand	◦ Naim 60,000 yuan	◦ Naim 60,000 yuan	◦ Naim 60,000 yuan	◦ Naim 60,000 yuan
Number of speakers	• 32	• 32	• 32	• 32
Dolby Atmos	• Standard	• Standard	• Standard	• Standard
Speaker layout	• 9.2.4.8	• 9.2.4.8	• 9.2.4.8	• 9.2.4.8
Maximum output power of amplifier (W)	• 3868	• 3868	• 3868	• 3868
Seat speakers (headrest/shoulder)	• Standard	• Standard	• Standard	• Standard
Sky Channel	• Standard	• Standard	• Standard	• Standard
Rear multimedia controls	• Standard	• Standard	• Standard	• Standard
Lighting configuration	• Standard ◦ Optional – none			
low beam	• led	• led	• led	• led
High beam	• led	• led	• led	• led
Daytime running lights	• Standard	• Standard	• Standard	• Standard
Adaptive high and low beam	• Standard	• Standard	• Standard	• Standard
Automatic headlights	• Standard	• Standard	• Standard	• Standard
Turn assist lights	–	–	–	–
Front fog lights	–	–	–	–
Adaptive Front Steering (AFS)	• Standard	• Standard	• Standard	• Standard
Headlight height adjustment	• Standard	• Standard	• Standard	• Standard
Headlight cleaning function	–	–	–	–
Interior ambient lighting	• 16.8 million colors	• 16.8 million colors	• 16.8 million colors	• 16.8 million colors
Active ambient lighting	–	–	–	–

technology	-	• Standard	• Standard	• Standard
Headlights delayed off	• Standard	• Standard	• Standard	• Standard
Headlight rain and fog mode	-	-	-	-

Glass/rearview mirror • Standard ◦ Optional - none

Power windows	• front row	• front row	• front row	• front row
	• back row	• back row	• back row	• back row
One-touch window lift	• whole vehicle	• whole vehicle	• whole vehicle	• whole vehicle
Window anti-pinch function	• Standard	• Standard	• Standard	• Standard
Exterior rearview mirror function	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment
	• heating	• heating	• heating	• heating
	• Electric folding	• Electric folding	• Electric folding	• Electric folding
	• memory	• memory	• memory	• memory
	• Automatically tilt down when reversing	• Automatically tilt down when reversing	• Automatically tilt down when reversing	• Automatically tilt down when reversing
	• Automatic folding when the car is locked	• Automatic folding when the car is locked	• Automatic folding when the car is locked	• Automatic folding when the car is locked
	• Automatic anti-glare	• Automatic anti-glare	• Automatic anti-glare	• Automatic anti-glare
Interior rearview mirror function	• Automatic anti-glare	• Automatic anti-glare	• Automatic anti-glare	• Automatic anti-glare
	• Streaming	• Streaming	• Streaming	• Streaming
Car makeup mirror	• Main driving seat + lighting	• Main driving seat + lighting	• Main driving seat + lighting	• Main driving seat + lighting
	• Passenger seat + lighting	• Passenger seat + lighting	• Passenger seat + lighting	• Passenger seat + lighting
Rear privacy glass	• Standard	• Standard	• Standard	• Standard
	• Rear window side sunshade	• Rear window side sunshade	• Rear window side sunshade	• Rear window side sunshade

Rain-sensing wipers	• Standard	• Standard	• Standard	• Standard
rear wiper	• Standard	• Standard	• Standard	• Standard
Rear window open	-	-	-	-
Multi-layer soundproof glass	• Front row + back row	• Front row + back row	• Front row + back row	• Front row + back row
Electric heating of the front windshield	-	-	-	-
Heated water nozzle	-	-	-	-
Air conditioning/refrigerator	• Standard ◦ Optional - none			
Air conditioning control method	• automatic	• automatic	• automatic	• automatic
Rear independent air conditioning	• Standard	• Standard	• Standard	• Standard
Rear air outlet	• Standard	• Standard	• Standard	• Standard
Temperature zone control	• Three-zone air conditioning	• Three-zone air conditioning	• Three-zone air conditioning	• Three-zone air conditioning
Car air purifier	-	-	-	-
In-car PM2.5 filter	• Standard	• Standard	• Standard	• Standard
Negative ion generator	-	-	-	-
Car fragrance device	• Standard	• Standard	• Standard	• Standard
AQS Air Quality Management System	• Standard	• Standard	• Standard	• Standard
Car refrigerator	• Standard	• Standard	• Standard	• Standard
Car refrigerator function	• heating	• heating	• heating	• heating
	• refrigeration	• refrigeration	• refrigeration	• refrigeration
Intelligent configuration				
	• Thousand Miles of Vastness H7	• Thousand Miles of Vastness H7	• Thousand Miles of Vastness H7	-

Assisted driving chip	• NVIDIA DRIVE Thor-U	• NVIDIA DRIVE Thor-U	• NVIDIA DRIVE Thor-U	–
	◦ NVIDIA DRIVE Thor-U*2	◦ NVIDIA DRIVE Thor-U*2	◦ NVIDIA DRIVE Thor-U*2	• NVIDIA DRIVE Thor-U*2
Assisted driving chip computing power (TOPS)	• 700	• 700	• 700	–
	◦ 1400	◦ 1400	◦ 1400	• 1400
In-vehicle intelligent system	• ZEEKR OS	• ZEEKR OS	• ZEEKR OS	• ZEEKR OS
In-vehicle smart chip	• Qualcomm Snapdragon 8295*2	• Qualcomm Snapdragon 8295*2	• Qualcomm Snapdragon 8295*2	• Qualcomm Snapdragon 8295*2
Mobile App remote control	• Digital Key	• Digital Key	• Digital Key	• Digital Key
	• Vehicle Monitoring	• Vehicle Monitoring	• Vehicle Monitoring	• Vehicle Monitoring
	• Remote Control	• Remote Control	• Remote Control	• Remote Control
	• Charging Management	• Charging Management	• Charging Management	• Charging Management
	• Service Appointment	• Service Appointment	• Service Appointment	• Service Appointment
Heat pump management system	• Standard	• Standard	• Standard	• Standard
Number of external cameras	• 11	• 11	• 11	–
	◦ 13	◦ 13	◦ 13	• 13
External camera pixels	–	–	–	–
Number of cameras in the car	• 1	• 1	• 1	• 1
	◦ 2	◦ 2	◦ 2	◦ 2
In-car camera pixels	–	–	–	–
Number of ultrasonic radars	• 12	• 12	• 12	• 12
Number of millimeter-wave radars	• 5	• 5	• 5	• 5
Number of LiDARs	• 1	• 1	• 1	–
	◦ 5	◦ 5	◦ 5	• 5

Sub-meter high-precision positioning system	• Standard	• Standard	• Standard	• Standard
High-precision maps	-	-	-	-
Sentinel (Clairvoyance) Mode	• Standard	• Standard	• Standard	• Standard
V2X communication	-	-	-	-
Optional Package • Standard ◦ Optional - none				
Customized options	Optional exterior, interior, wheels, brakes	Optional exterior, interior, wheels, brakes	Optional exterior, interior, wheels, brakes	Optional exterior, interior, wheels, brakes

*The above parameter configuration information is for reference only, please refer to the actual vehicle for details View parameter configuration details ›